

Size : 2950 x 1120 mm

Type : Wood Concrete

Origin : China



11200300006

Light

Physical & Technical Properties

Properties		Test Method	Unit	Test Result
Water Absorption		GBIT 966.3-2001	%	8%
Stain Resistance		GBIT 9780-2005	Grade	GRADE 1
Abrasion Resistance g/750r		GB/T 3810.7-2006	g	0.05
Radioactivity		GB 6566	IRa	0.2
			r	0.2
Flame Retardance		GB 8624-2012	Grade	A
Soluble Heavy Metal	TVOC	GB6566	g/m2	1.8
	Pb			0
	Cd			0

- Flexible and bendable
- Strong Touchness
- Water proof
- Light Weight
- Aging Resistance
- Environmental Friendly

Chemical Resistance	3%(v/v)HCL 3%(v/v)KOH	GBIT 3810.13	No bubbling or peeling even after soaking for 12 as per test
Flexibility	20°C ,3S,180.		
Age Resistance		GB/T 16259-2080	No crack or chalking after 3500 hours age test

- Environment friendly
- Light weight
- Energy saving
- Easy Installation

Application

- | | | |
|--|---|---|
| Residential | Commercial | Hospitality |
| <ul style="list-style-type: none"> ◆ Accent walls ◆ Headboard panels ◆ Fireplace surrounds. | <ul style="list-style-type: none"> ◆ Retail stores ◆ Restaurants ◆ Offices | <ul style="list-style-type: none"> ◆ Hotels ◆ Resorts ◆ Spas |

+971 54 569 1963 danubebuildingmaterial danubebuildingmaterial danubebuildingmaterial danubebuildingmaterials

Danube Building Materials FZCO

P.O. Box 18022, Jebel Ali Free Zone, Dubai, U.A.E. | Tel : +971 4 8871234, Fax : +971 4 8810158 | Email: enquiry@aldanube.com
www.danubebuildingmaterials.com

U.A.E. | Oman | Bahrain | Qatar | Kuwait | India | China